

# FF MONSUN

7.5 - 15 kW



# FF MONSUN 8-15

RELIABLE AND SILENT SCREW COMPRESSOR FOR AUTO REPAIR SHOPS, AGRICULTURE AND SMALL INDUSTRIAL TASKS. AVAILABLE IN SEVERAL VERSIONS, TO FIT YOUR SPECIFIC COMPRESSED AIR TASKS.



**Monsun 8-15** is our larger compressors in the Monsun range, from 7.5 - 15 kW. Models are available basemounted or tankmounted, on a 270 or 500 L receiver, with or without refrigerated dryer. All models are equipped with YD start.



### ADVANTAGES OF MONSUN 8-15 RANGE:

- ✓ Advanced, highly efficient screw air end
- ✓ User-friendly control panel
- ✓ Low noise level - as low as 65 dB(A)!
- ✓ Efficient internal cooling
- ✓ Easy access to components for service

### DESIGN YOUR OWN SOLUTION

- You can design the solution that fits your specific needs. For users with many start/stops we recommend an air receiver, which stores the compressed air until needed. To protect your equipment, you can also add a refrigerated dryer. Everything is integrated into one installation, as a very space efficient solution.

# TECHNICAL SPECIFICATIONS



Model	kW	hp	dB(A)	V*
Monsun 8	7.5	10	65	400/3/50
Monsun 11	11	15	69	400/3/50
Monsun 15	15	20	71	400/3/50

\* Also available for 230/3/50

### OPTIONS:

Description	Art. no.
Foodgrade oil	00000 50323
Wooden crate (export packaging)	00000 50345
8000 hour oil	00000 50302
Timer drain	00000 50307



Model	bar	l/min.*	Basemounted	Tankmounted 270 L		Tankmounted 500 L	
			without dryer	without dryer	with dryer	without dryer	with dryer
Monsun 8	8	1140	4152020225	4152020243	4152020273	4152020249	4152020279
	10	996	4152020226	4152020244	4152020274	4152020250	4152020280
	13	780	4152020227	-	-	4152020251	4152020281
Monsun 11	8	1620	4152020228	4152020245	4152020275	4152020252	4152020282
	10	1416	4152020229	4152020246	4152020276	4152020253	4152020283
	13	1152	4152020230	-	-	4152020254	4152020284
Monsun 15	8	1860	4152020231	4152020247	4152020277	4152020255	4152020285
	10	1680	4152020232	4152020248	4152020278	4152020256	4152020286
	13	1332	4152020233	-	-	4152020257	4152020287

\* At 7 bar and 9.5 bar  
"- " = not available

# DIMENSIONS

Model	Basemounted		Tankmounted 270 L		Tankmounted 500 L	
	LxWxH (mm)	kg	LxWxH (mm)	kg*	LxWxH (mm)	kg*
Monsun 8	850 x 720 x 980	170	1543 x 720 x 1337	217 (250)	1945 x 720 x 1468	267 (300)
Monsun 11	850 x 720 x 980	185	1543 x 720 x 1337	232 (265)	1945 x 720 x 1468	282 (315)
Monsun 15	850 x 720 x 980	200	1543 x 720 x 1337	247 (280)	1945 x 720 x 1468	297 (330)

\* (incl. refrigerated dryer)



**Reno A/S** | +45 70 10 22 10 | [forhandlere@reno-ff.com](mailto:forhandlere@reno-ff.com) | [www.reno-ff.com](http://www.reno-ff.com)